## LIST OF FIGURES

FIGURE 1		Page
A1.	Map showing the major and minor contaminated and least contaminated areas of concern within the Albemarle Sound estuarine system	7
	estuarine system	16
в2.	Location map of the Albemarle Sound estuarine system	19
c1.	Map of the Albemarle Sound estuarine system showing the	
	location of short core (< 0.6 m) sample sites for this	
	study, excluding the North Landing River	41
C2.	Map of the North Landing River in Currituck Sound showing	
	the location of short core (< 0.6 m) and vibracore (6 m)	
	sample sites and bathymetric profiles utilized in this study	42
C3.	[2018] [	1.5
	location of vibracore (3 to 8 m) sample sites for this	
	study, excluding the North Landing River	44
C4.	Map of the Albemarle Sound estuarine system showing the	44
	location of six bathymetric profiles with associated	
	surface sample transects utilized in this study,	
	excluding the North Landing River	
C5.	Laboratory flow sheet for sediment and chemical analyses	48
C6.	Comparison of mean percent of various metals obtained by	
	three partial extraction procedures used by the	
	International Council for Exploration of the Sea (Loring	
	and Rantala, 1988) and those produced by the 2N HNO3	
	partial extraction procedure of Riggs et al. (1989) in	
	the Pamlico River estuary. This 2N HNO, procedure is	
	the same as that used in the Neuse River (Riggs et al.,	
	1991) and present Albemarle Sound studies	55
C7.		
	by two partial extraction procedures in metal pollutant	
	studies. The Los Angeles waste water treatment outfall	
	(LAWTO) study utilized a 25% HOAc/NH,OHHCl + 30% H,O,	
	procedure (Bruland et al., 1974), whereas the National	
	Institute of Standards and technology estuarine sediment	
	(NISTES) was analyzed during the Pamlico River study	
	(Riggs et al., 1989b) utilizing a 2N HNO3 procedure	57
	The second secon	
D1.	Depositional environments of the Albemarle Sound	
	estuarine system	74
D2.	Bathymetric profile A-A' across the Lower Roanoke River	
	showing the distribution of the four major sediment	
	components and their relationship to bottom morphology	76
D3.	Bathymetric profile B-B' across Inner Albemarle Sound	
	adjacent to the Highway 37 bridge, showing the	
	distribution of the four major sediment components and	
	their relationship to bottom morphology	77
	F	